


PRODUCT DATA SHEET

Tetrahydrofurfuryl Alcohol

Tetrahydrofurfuryl Alcohol



Chemical nature

Chemical name:	Tetrahydrofurfuryl alcohol
IUPAC name:	(Oxolan-2-yl)methanol
Synonyms:	Tetrahydrofuran-2-yl methanol, THFA, 2-hydroxy-methyltetrahydrofuran, tetrahydro-2-furancarbinol, tetrahydro-2-furylmethanol
Molecular formula:	C ₅ H ₁₀ O ₂
Molecular weight:	102.13 g/mol
CAS number:	97-99-4
EC number:	202-625-6

EU REACH

Registration number: 01-2119968921-26-0009

Delivery specifications

Parameter	Specification	Analysis method *
Tetrahydrofurfuryl Alcohol purity [%]	min. 99.0	AM 115
Furfuryl Alcohol content [%]	max. 0.08	AM 115
1,2-Pentanediol content [%]	max. 0.30	AM 115
Moisture content [wt%]	max. 0.10	AM 114
APHA colour	max. 20	AM 113

* Available on request

Other information

HS code: 2932.1300

Physical data

Appearance:	colourless to light-yellow liquid
Boiling point:	178°C
Flash point:	73°C (closed cup), 84°C (open cup)
Melting point/freezing point:	< -120°C
pH:	5 - 6 (250 g/L in water)
Refractive index (20°C):	1.449 - 1.453
Relative density (20°C/4°C):	1.052
Relative density (20°C/20°C):	1.054 - 1.056
Viscosity (20°C):	6.4 mPa.s
Vapour pressure (25°C):	0.142 kPa
Evaporation rate (butyl acetate = 1):	0.03
Auto-ignition temperature:	282°C
Heat of vaporization:	120.6 cal/g
Solubility in water:	miscible
Soluble in:	ethanol, ether, chloroform, methanol, 1-propanol, iso-amyl alcohol, ethyl acetate
Partition coefficient <i>n</i> -octanol/water:	-0.14
Hansen solubility parameter:	
• Non-polar:	9.8
• Polar:	5.0
• Hydrogen bonding:	7.8
Dielectric constant (23°C):	13.6

Applications

Use as (cleaning) solvent, a.o. in electronics industry

Use as synthetic intermediate

Use in resins (prepolymers), sealants and adhesives

Use as laboratory reagent

Use in the formulation of agrochemicals

Packaging

Available in drums (220 kg net)

Shelf life

The product should be stored under ambient conditions (max. 25°C), protected from exposure to direct sunlight, heat sources and air. Storage under nitrogen atmosphere is recommended.

Shelf life: 24 months after production date

Contact information

International Furan Chemicals B.V.
Sales office

Rotterdam Airportplein 33
3045 AP Rotterdam, The Netherlands
T +31 10 238 0555
F +31 10 238 0550
E sales@furan.com
I www.furan.com

TransFurans Chemicals BV
Production & technical
assistance

Industriepark Leukaard 2
2440 Geel, Belgium
T +32 14 57 87 47
F +32 14 57 87 67
E sales@transfurans.be
I www.transfurans.be



Our locations in the world

● commercial offices (IFC, TFUK en IFC NA)

● manufacturing location (TFC)